

MT1001 Motorcycle Brake Piston Removal Pliers

1. Extract seized brake calliper pistons without risk of damage to outer face of piston
2. Fast and simple operation
3. Clamp screw allows pliers to be fixed into cup of piston for added pulling power
4. Capacity: 16.5mm-40mm

**MT1004 Chain Cleaning Brush**

1. Brush for cleaning motorcycle chains with removable heads for cleaning and replacement
2. Because of the nature of the product it is classed as a consumable
3. Easy to remove heads for cleaning and replacing

**MT1005 Universal Rear Wheel Stand with Rubber Supports**

1. Lifts and stabilises any dual aem sports bike quickly and easily.
2. Fitted with width and angle adjustable rubber support pads.
3. Rubber supports mounted on heavy-duty box section for continuous professional use.
4. Minimum/Maximum Width:220/330mm

**MT1007 Motorcycle Flywheel Puller Set 10pc**

1. Used to separate flywheel from the crankshaft taper
2. Contents:
 - Includes 5 double ended pullers- M28 x M26(1.0mm thread); M25(1.25) x M22(1.0); M27 x M24(1.0mm); M26 x M22(1.5mm); M27(1.25mm) x M20(1.0mm)
 - 2 x single ended puller M28 x 1.5mm & M19 x 1.0mm
 - Threaded bolts- M14 x 1.5mm; M16 x 1.5mm; M18 x 1.5mm

**MT1008-01 34mm Motorcycle Clutch Wrench**

1. Special 34mm 6 point socket wrench fitted with two pins for servicing clutches on motorcycle engines
2. Pin PCD: 59mm
3. Opening Size: 34mm
4. Pin Size: 11mm Round x 2
5. Length: 280mm



MT1008-02 39mm Motorcycle Clutch Wrench

1. Special 39mm 6 point socket wrench fitted with two pins for servicing clutches on motorcycle engines
2. Pin PCD: 59mm
3. Opening Size: 39mm
4. Pin Size: 12mm Round x 2
5. Length: 280mm



MT1008-03 41mm Motorcycle Clutch Wrench

1. Special 41mm 6 point socket wrench fitted with two pins for servicing clutches on motorcycle engines
2. Pin PCD: 59mm
3. Opening Size: 41mm
4. Pin Size: 11mm round x 2
5. Length: 280mm



MT1008-04 39mm Motorcycle Clutch Wrench

1. Special 39mm 6 point socket wrench fitted with two pins for servicing clutches on motorcycle engines
2. Pin PCD: 72mm
3. Opening Size: 39mm
4. Pin Size: 12mm Round x 2
5. Length: 280mm



MT1008-05 46mm Motorcycle Clutch Wrench

1. Special 46mm 6 point socket wrench fitted with two pins for servicing clutches on motorcycle engines
2. Pin PCD: 72mm
3. Opening Size: 46mm
4. Pin Size: 12mm Round x 2
5. Length: 280mm



MT1008-06 46mm Motorcycle Clutch Wrench 3 pin

1. Special 46mm 6 point socket wrench fitted with three pins for servicing clutches on motorcycle engines
2. Pin PCD: 85mm Opening
3. Size: 46mm
4. Pin Size: 11.3mm Round x 3
5. Length: 280mm



MT1010 Motorcycle Carburetor's Gauge

1. Depth gauge is used to set and obtain the exact measurements for float level & pump rod travel on carburetors fitted to motorcycle engines
2. Graduations: 0-40mm
3. Length: 4 1/2" 115mm



MT1011 Motorcycle "T" Lock Wrench

1. Double sided T lock wrench for use on locking the pulley nuts on motorcycle engine pulleys
2. Sizes: 14mm & 17mm Double Hex Openings



MT1012 Motorcycle Pulley Lock Nut Wrench 36mm

1. Special designed Bi-Hex (12 point) lock wrench to suit pulleys fitted to motorcycle engines
2. Sizes: 33mm x 230mm long
3. Application: Suzuki scooter




MT1013 Motorcycle Pulley Lock Nut Wrench 36mm

1. Special 6 point socket wrench to suite castellated nuts fitted to pulleys on motorcycle engines
2. Sizes: 36mm x 230mm long
3. Application: Yamaha motorcycle



MT1014 Motorcycle Chain Breaker & Riveter

1. Breaks and rejoins most types of chain quickly and easily
2. Suitable for most sizes of drive or cam chain from #35 to #630
3. Supplied with a range of pins and dies
4. Contents:
 - Pins; 2.2/2.9/3.8mm, Pin Guide; 2.2 Upper, 2.2mm Lower, Riveter Pin, Anvil; 3, 6mm, Spring, Press Plate, Lever, Handle, Chain Press



MT1015 Universal Motorcycle Pulley Holder

1. Suitable for holding flywheels and pulleys during removal and installation
2. Two sizes of pins 5mm one side and 9mm the other, with centre to centre distance ranging from 23mm to 227mm
3. Features a locking adjustment screw to keep tool at required set size
4. Overall Length: 328mm
5. Pin Sizes: 5, 9mm
6. Capacity: 23mm - 227mm



MT1019 Motorcycle Chain Cleaning Kit

1. Designed to remove dirt from motorcycle chains
2. All four sides of the chain are cleaned at once by six stiff brush pads located in the tool
3. Use with proprietary degreaser
4. Maximum Chain Width: 14mm



MT1020 Crankcase Separator

1. A Motorcycle Crank Case Separator suitable for a variety of engines
2. Complete with 6 and 8mm mounting bolts
3. Spare parts available for the 6 & 8mm bolts and threaded bars



MT1021 Motorcycle Flywheel Puller

1. Designed with 6 different sized threaded adaptors for flywheel rings on motorcycles
2. Models with tapered lock type rings cannot be removed without use this specialized tool
3. Suitable for most types of motorcycle
4. Sizes: M10 x 1.25R, M14 x 1.5R, M16 x 1.5R, M18 x 1.5R, M24 x 1.0R, M27 x 1.0L



MT1022 Universal Motorcycle Pulley Holder

1. Suitable for flywheel and clutch pulleys on a large range of motorcycles
2. Adjusting screw allows tool to be locked at the required size
3. Diameter: Ø70-130mm
4. Length: 310mm



MT1023 Motorcycle Pulley Holder

1. Suitable for flywheel and clutch pulleys on a large range of motorcycles
2. Adjustable strap for use on different pulley sizes
3. Rotate handle so foot contacts against pulley to secure, and release rotate in the opposite direction
4. Capacity: 45-120mm




MT1025 Pilot Screw Adjusting Tool

1. 460mm Tool gives deep access particularly suited to adjustment of motorcycle carburettors
2. 110° Angled head gives improved access to hard reach areas
3. One turn of handle equals one turn of slotted blade
4. Blade tip height is adjustable allowing it to be set in place during operation

**MT1026 Chain Splitter & Riveting Tool Set**

1. Comprehensive set designed to shorten and lengthen motorcycle chains by removing or replacing links
2. Use on horticultural and agricultural machinery
3. Includes tools designed for riveting and plate holder for connecting links accurately
4. Contents:
Pin Holder, 27mm Fixed Shaft, 19mm Pin Head, U-Holder, Plate Holder, Pins-3, 4, 5mm; Anvils-3, 4, 5mm

**MT1028 Disc Brake Opening Tool**

1. For pushing the brake calipers back when changing the pads on motorcycles.
2. Complete with soft grip handle.
3. Time saving tool.

**MT1029 Motorcycle Coil Spring Compressor**

1. Designed specifically for use on motorcycles
2. Manufactured in box section steel
3. Supplied with replacement claws
4. Comes complete with instructions
5. Presented in a metal tin

**MT1033 Fuel & Injection Line Clamp & Stopper Kit**

1. Lower bearing installer for most motorcycles.
2. One driver three Aluminium adaptors.
3. Simple to use.
4. Time saver.
5. Use with a soft faced hammer


**MT1035 Heavy-duty Chain Breaker Tool Set**

1. Motorcycle Repairing Tools
2. This tool is the heavy duty chain breaker tool set for motorcycle repair use, almost can be used on all different sizes of chains for motorcycles, so it is an excellent Chain cutter and installer tools set for master pin of motorcycle.



MT1034 **Motorcycle Steering Bearing Press**

1. For correct installation of bearings.
2. Seven adaptors for various bearing sizes.
 - 1 x 32mm,
 - 1 x 36mm,
 - 1x 38mm,
 - 3 x 42mm,
 - 1 x 46mm.
3. There are 3 adaptors of the 42mm size because this is the most common size. having 2 spares allows for lost or damage to an adaptor without having to replace the kit.
4. Size range 32-46mm.
5. Soft grip handle.
6. Includes bearing seating tool.



MT1037 **Tyre Lever 300mm**

1. 300mm long
2. Suitable for tyres on motorcycles
3. Also suitable for tyres on other leisure vehicles
4. Manufactured from dropped forged steel
5. Moulded handle for easy comfortable use



MT1038 **Motorcycle Spindle Tool Set 5pc**

1. Prevents spindle from spinning when tightening or loosening wheel nut
2. Features 1/2" drive adaptor and four hex bits for different sizes of spindle
3. Spindle Sizes: 17, 19, 22, 24mm



MT1039 **Chain Link Pliers**

Slim jaws specifically designed for the quick and easy removal and installation of chain pins (links)



MT1045 **Valve Spring Compressor Set - Motorcycle**

1. Complete with 5 adaptors :
 - 16mm/19mm/23mm/25mm/30mm
2. Suitable for a wide range of vehicles
3. Two sizes of threaded bar for wider applications
4. 100mm throat depth
5. Ideal for small engines motorcycles and quads, etc.
6. With carrying case



MT1002 Motorcycle Spindle Tool

1. Motorcycle front spindle removal tools
24mm/22mm/19mm
2. Use as a socket on the free end to remove the spindle
3. Sizes / Applications:
24mm - Suzuki/Honda
22mm - Kawasaki
19mm - Yamaha

**MT1040 Motorcycle Spindle Tool - Steel**

1. This lightweight motorcycle spindle tool has 4 stepped sizes for modern motorcycles.
2. Use with 3/8"D tools or standard socket
3. Sizes: 17/19/22/24mm
4. Applications: Honda, Kawasaki, Suzuki, Yamaha

**MT1041 Motorcycle Spindle Tool- Light Version**

1. Made from Aluminium, this lightweight motorcycle front spindle tool has 4 stepped sizes for removing the front spindle on most modern motorcycles.
2. Applications: Most modern motorcycles, including BMW, Buell, Honda, Kawasaki, Suzuki, Yamaha.
3. 4 stepped sizes: 17, 19, 22, 24mm.
4. Can be used with any 3/8"D tool.
5. Can also be used with a standard socket.

**MT1047 Motorcycle Brake Piston Tool**

A brake piston rewind tool for the controlled retraction when changing the brake pads on many makes of Motorcycle

1. Plated working faces to reduce corrosion
2. Suitable for front and rear brakes
3. Dual size plates for ease of access
4. It is recommended the caliper bleed nipple is opened to prevent fluid being pushed back into master cylinder

**MT1050 Spoke Wrench Set 11pc**

1. Specially designed spoke wrench with nine interchangeable sized heads
2. Suitable for adjusting spoke tension and correcting buckled wheels
3. Heads included 5mm-6.8mm in 0.2 increments
4. Fits most bikes
5. Sizes: 5.0, 5.2, 5.4, 5.6, 5.8, 6.0, 6.2, 6.4, 6.6, 6.8mm



MT1052 Fork Seal Driver

1. Designed for easy installation of fork seals
2. Limits potential damage done by other methods to the forks
3. Capacity: 35-50mm

**MT1053 Steering Stem Spanner 30/32mm**

1. Steering stem spanner suitable for use on Honda, Kawasaki, Suzuki and Yamaha motorcycles
2. Sizes: 30mm x 32mm

**MT1054 Fork Cap Spanner 46 / 50mm**

1. Combination fork cap spanner suitable for use on Showa and twin camber forks
2. Sizes: 46mm x 50mm

**MT1055 Fork Cap Spanner 49 / 50mm**

1. Combination fork cap spanner suitable for use with on Kayaba, Showa and twin camber forks
2. Sizes: 49mm x 50mm

**MT1056 Racer Axle Wrench 22 / 32mm**

1. Part of the motorcycle range this racer axle wrench fits Honda / Kawasaki / Suzuki and Yamaha motorcycles
2. Sizes: 22mm x 32mm

**MT1057 Racer Axle Wrench 22 / 27mm**

1. Part of the motorcycle range this racer axle wrench fits Honda, Kawasaki and Yamaha motorcycles
2. Sizes: 22mm x 27mm

**MT1058 Racer Axle Wrench 17mm / 24mm**

1. Part of the motorcycle range this Axle wrench fits Yamaha and Suzuki motorcycles
2. Sizes: 17mm x 24mm

**MT1059 Racer Axle Wrench 17mm/27mm**

1. Part of the motorcycle range this racer axle wrench
2. Manufactured from S45c steel.
3. Hardened and chrome plated.
4. Light and easy to carry.
5. Double sized.
6. Fits Yamaha | Honda | KTM | Kawasaki.



MT1060 Chain clip plier

1. Designed for the installation and removal of clip type master links
2. Plier-like shape, with grippy plastic handles with non-slip texture.

**MT1061 Chain Puller Tensioner**

1. A Motorcycle Chain Puller / Tensioner for removing and replacing chain links
2. The special jaws on Chain tensioner is designed to fit between the chain links allowing the link to be replaced or removed
3. Use on chain sizes: 428/520/525/528/530

**MT1062 Ratchet Motorcycle Brake Piston Pliers**

1. For removal of seized pistons without damaging outer piston surface
2. Knurled clamp blocks allow secure grip of inner piston face
3. Self-locking mechanism ensures tight grip on piston during removal

**MT1063 Hose Remover Pliers (Motorcycle)**

1. For easy removal of 4-10mm Fuel & Vacuum Hose
2. The pliers have two different color of jaw; black & silver color, black color jaw for tube end & silver jaw for hose end
3. On the black jaw have a "DIGS" can into small tube & hose

**MT1064 Clutch Locking Nut Removal Tool 20 / 24mm**

1. Designed to loosen and tighten the lock nut for the removal and installation of a motorcycle clutch
2. Manufactured from heavy-duty heat treated steel
3. Use on Honda motorcycles with 20 or 24mm lock nuts

**MT1065 Motorcycle Clutch Spring Compressor**

1. Compresses the clutch spring enable clutch nut to be removed and replaced
2. **MT1065-01** Spread: 140mm Depth: 105mm
MT1065-02 Spread: 170mm Depth: 90mm



MT1066 Clutch Spring Check Tool/Clutch Compression Tool

1. Compresses the clutch spring enable the clutch nut to be removed and replaced
2. Spread: 165mm Depth: 95mm



MT1067 Motorcycle Wheel Spinner

1. For the manual spinning of motorcycle wheels while servicing
2. Ideal for wheel cleaning
3. Roller bearings on a composite base
4. Adjustable



MT1068 Adjustable Hook & Pin Wrench Set

1. Specially designed for use with slotted retaining rings found on motorcycle suspension and other machinery.
2. Wrenches covering sizes 19-120mm
3. Pin sizes \varnothing 4-8mm
4. Contents/Specifications:
5. Small Wrench: 19- 50mm
 Medium Wrench: 30- 75mm
 Large Wrench: 50- 120 mm
 Small/Medium Wrench Pin \varnothing : 4, 5, 6mm
 Large Wrench Pin \varnothing : 6, 8mm



MT1069 Motorcycle Coil Spring Compressor

1. Motorcycle coil spring compressor manufactured from aluminum for strength and lightness
2. Supplied with 4 adaptors:
 60mm/66mm/72mm/75mm for different size springs
3. Complete with eyelet and clevis adaptor



MT1070 Motorcycle Rim Protector

1. Designed to reduce the risk of damaging the motorcycle wheel rims when fitting or removing tyres
2. Soft material will not damage the rims
3. String line attachment for easy removal



MT1072 Flywheel Puller M24 x P1.5R

1. Designed to remove lock nuts from motorcycle flywheels quickly and safely
2. Suitable for a variety of motorcycles
3. Applications:
Honda; CRF150R (07-09), CRF250R (04-11), CRF250X (04-09), CRF450R (02-08),
Kawasaki; KX250F (04-11), KX450F (06-08),
Suzuki; RMZ250 (04-09), RMZ450 (05-07),
Yamaha; YZ450F (06-09)

**MT1073 Wheel Bearing Removal Tool Kit 9pc - Metric**

1. Dependable split collet design, includes 8pc metric drivers
2. Metric sizes allow use with metric applications
3. Available as individual components
4. Sizes: 10 / 12 / 15 / 17 / 19 / 20 / 25mm

**MT1075 Motorcycle Portable Fuel Tank 1ltr**

1. Useful when needing to remove fuel tank to perform maintenance on your motorcycle
2. Eliminates need to balance fuel tank in an awkward position
3. Simply remove your tank, connect the auxiliary fuel tank which is gravity fed and hang it up using the hanging hook provided
4. Features 1000ml tank, 1200mm hose, two hose clamps and on/off tap
5. Tank Size: 1000ml
6. Hose Length: 1200mm

**MT1076 Motorcycle Brake Piston Removal Locking Pliers**

1. Features locking function for non-slip operation
2. Clamp screw allows pliers to be fixed into cup of piston for added pulling power

**MT1078 Motorcycle Tyre Lever 355mm**

1. Drop-forged, sprayed and tempered steel finish for anti-corrosion resistance
2. Curved rounded tip for ease of use when rolling round the rim
3. Machine finished alloy handle enables extra grip and control when in use
4. Suitable for use on motorcycle, small agricultural or leisure tyres
5. Length: 385mm
6. Tip Width: 22mm
7. Handle Width: 30mm



MT1079 1/2"Dr. Motorcycle Wheel Nut Socket

1. Size: 1/2"Dr. H22 or H24
2. 53MML
3. Can also be used for removing the front and rear wheels on motorbikes, permanently pressed in, suitable for maximum loads
4. Suitable for BMW, Honda, SUZUKI, Yamaha, Ducati, Kawasaki , Moto Morini



MT1080 Heavy Duty Chain Pin Remover

1. Size: 1/2"Dr. H22 or H24
2. 53MML
3. Can also be used for removing the front and rear wheels on motorbikes, permanently pressed in, suitable for maximum loads
4. Suitable for BMW, Honda, SUZUKI, Yamaha, Ducati, Kawasaki , Moto Morini



MT1081 Gasoline Pump Filter Remover

1. Universal design for motorcycle gasoline pump filter remover and install.
2. For Motorcycle using



MB3000 Motorcycle Disc Brake Piston

1. Material: SCM440
2. Spread capacity : 5~54mm
3. Pad Size: Width: 34mm, thickness : 2mm
4. Compresses the brake pistons on most style calipers for easy and quick pad replacement.



MR4003 Chain Breaker

1. This Chain Breaker is equipped with 2 hardened pins in 4.0mm and 4.8mm.
2. It covers the gamut from 420 to 620 chains.



MN4000 Tappet Adjusting Tool Set

1. Ideal for most makes and models of motorcycles, ATVs and ATCs.
2. Interchange adjusters and wrenches provide nine different combinations.
3. **Applications:**

HONDA: All ATC's and motorcycles with 4 cycle engines and screw type adjusters.

YAMAHA: SR 185/250, XT/TT250, XS400, ST185

SUZUKI: All 4 cycle ATV's and motorcycles with screw type adjusters.

Any tappet adjuster with 8, 9 or 10mm adjusting nut and 3 or 4mm square or slotted adjuster.

